

# Spatial position recognition method of semi-transparent and flexible workpieces: A machine vision based on red light assisted

Bi, Q.L.<sup>a</sup>, Lai, M.L.<sup>b,\*</sup>, Chen, K.<sup>b</sup>, Liu, J.M.<sup>b</sup>, Tang, H.L.<sup>b</sup>, Teng, X.B.<sup>a</sup>, Guo, Y.Y.<sup>a</sup>

<sup>a</sup>School of Marine Engineering, Guangzhou Maritime University, Guangzhou, P.R. China

<sup>b</sup>School of physics and optoelectronic Engineering, Guangdong University of Technology, Guangzhou, P.R. China

## ABSTRACT

In the automatic sorting process, overlapping translucent and flexible workpieces on the conveyor belt, blurring the imaging edge features of translucent and flexible workpieces is a challenge to locate the upper and lower workpieces spatially, we propose a method for locating translucent and flexible workpieces spatially under the overlapping environment in conjunction with the most common automatic sorting of translucent and flexible workpieces such as infusion tube drip buckets. Firstly, we propose a rectangular surface light source based on 650 nm band and monocular CCD for imaging translucent workpieces such as infusion tube drip buckets and optimize the imaging parameters. Secondly, we study a feature matching recognition algorithm for flexible workpieces that are prone to deformation, construct a mapping relationship between the position of overlapping layers and imaging quality of translucent and flexible workpieces such as infusion tube drip buckets based on clarity and information entropy, and establish The mapping relationship between the position of the overlapping layers and the imaging quality of translucent and flexible workpieces such as infusion tube drip buckets is constructed based on clarity and information entropy, and a local spatial coordinate conversion model is established. Finally, the spatial positioning coordinates of overlapping and non-overlapping translucent and flexible workpieces in the local coordinate system are identified, and the results show that the imaging method and theory can be effectively applied to the identification of overlapping and spatial positioning coordinates in the automatic sorting of translucent workpieces such as infusion tube drip buckets.

## ARTICLE INFO

### Keywords:

Machine vision;  
Image processing;  
Visual recognition;  
Feature matching;  
Imaging quality;  
Red light;  
Translucent and flexible workpieces;  
Infusion tube drip bucket;  
Smart manufacturing

### \*Corresponding author:

2112115045@mail2.gdut.edu.cn  
(Lai, M.L.)

### Article history:

Received 14 March 2023

Revised 12 April 2023

Accepted 15 April 2023



Content from this work may be used under the terms of the Creative Commons Attribution 4.0 International Licence (CC BY 4.0). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

## References

- [1] Tripathi, S., Shukla, S., Attrey, S., Agrawal, A., Bhadoria, V.S. (2020). Smart industrial packaging and sorting system, In: Kapur, P.K., Singh, O., Khatri, S.K., Verma, A.K. (eds.), *Strategic system assurance and business analytics*, Springer, Singapore, 245-254, [doi: 10.1007/978-981-15-3647-2\\_18](https://doi.org/10.1007/978-981-15-3647-2_18).
- [2] Zhao, Z., Yuan, Q. (2022). Integrated multi-objective optimization of predictive maintenance and production scheduling: Perspective from lead time constraints, *Journal of Intelligent Management Decision*, Vol. 1, No. 1, 67-77, [doi: 10.56578/jimd010108](https://doi.org/10.56578/jimd010108).
- [3] Olscher, C., Jandric, A., Zafiu, C., Part, F. (2022). Evaluation of marker materials and spectroscopic methods for tracer-based sorting of plastic wastes, *Polymers*, Vol. 14, No. 15, Article No. 3074, [doi: 10.3390/polym14153074](https://doi.org/10.3390/polym14153074).
- [4] Lovich, M.A., Doles, J., Peterfreund, R.A. (2005). The impact of carrier flow rate and infusion set dead-volume on the dynamics of intravenous drug delivery, *Anesthesia & Analgesia*, Vol. 100, No. 4, 1048-1055, [doi: 10.1213/01.ANE.0000146942.51020.88](https://doi.org/10.1213/01.ANE.0000146942.51020.88).

- [5] Society, I.N. (2006). Infusion nursing standards of practice, *Journal of Infusion Nursing: The Official Publication of the Infusion Nurses Society*, Vol. 29, No. 1, doi: [10.1097/00129804-200601001-00001](https://doi.org/10.1097/00129804-200601001-00001).
- [6] Patel, P.J., Benasi, K., Ferrari, G., Evans, M.G., Shanmugham, S., Wilson, D.M., Buckingham, B.A. (2014). Randomized trial of infusion set function: Steel versus teflon, *Diabetes Technology & Therapeutics*, Vol. 16, No. 1, 15-19, doi: [10.1089/dia.2013.0119](https://doi.org/10.1089/dia.2013.0119).
- [7] Yu, J.H., Miao, W.J., Zhang, G.B., Li, K., Shi, Y.G., Liu, L. (2021). Target positioning and sorting strategy of fruit sorting robot based on image processing, *Traitement du Signal*, Vol. 38, No. 3, 797-805, doi: [10.18280/ts.380326](https://doi.org/10.18280/ts.380326).
- [8] Adediran, E.M., Fadare, D.A., Falana, A., Kazeem, R.A., Ikumapayi, O.M., Adedayo, A.S., Adetunla, A.O., Ifebunandu, U.J., Fadare, D.A., Olarinde, E.S. (2023). UIArm I: Development of a low-cost and modular 4-DOF robotic arm for sorting plastic bottles from waste stream, *Journal Européen des Systèmes Automatisés*, Vol. 56, No. 1, 97-103, doi: [10.18280/jesa.560113](https://doi.org/10.18280/jesa.560113).
- [9] Kao, Y.-H., Chen, C.-K., Chen, C.-C., Lan, C.-Y. (2022). Object pose estimation and feature extraction based on PVNet, *IEEE Access*, Vol. 10, 122387-122398, doi: [10.1109/ACCESS.2022.3223695](https://doi.org/10.1109/ACCESS.2022.3223695).
- [10] Tang, Y., Chen, M., Wang, C., Luo, L., Li, J., Lian, G., Zou, X. (2020). Recognition and localization methods for vision-based fruit picking robots: A review, *Frontiers in Plant Science*, Vol. 11, Article No. 510, doi: [10.3389/fpls.2020.00510](https://doi.org/10.3389/fpls.2020.00510).
- [11] Yang, J., Wang, C., Jiang, B., Song, H., Meng, Q. (2020). Visual perception enabled industry intelligence: State of the art, challenges and prospects, *IEEE Transactions on Industrial Informatics*, Vol. 17, No. 3, 2204-2219, doi: [10.1109/TII.2020.2998818](https://doi.org/10.1109/TII.2020.2998818).
- [12] Minu, M.S., Aroul Canessane, R., Subashka Ramesh, S.S. (2022). Optimal squeeze net with deep neural network-based arial image classification model in unmanned aerial vehicles, *Traitement du Signal*, Vol. 39, No. 1, 275-281, doi: [10.18280/ts.390128](https://doi.org/10.18280/ts.390128).
- [13] Xing, J., Jia, M. (2021). A convolutional neural network-based method for workpiece surface defect detection, *Measurement*, Vol. 176, Article No. 109185, doi: [10.1016/j.measurement.2021.109185](https://doi.org/10.1016/j.measurement.2021.109185).
- [14] Mandracchia, B., Hua, X., Guo, C., Son, J., Urner, T., Jia, S. (2020). Fast and accurate sCMOS noise correction for fluorescence microscopy, *Nature Communications*, Vol. 11, Article No. 94, doi: [10.1038/s41467-019-13841-8](https://doi.org/10.1038/s41467-019-13841-8).
- [15] Li, H., von Kleist-Retzow, F.T., Haenssler, O.C., Fatikow, S., Zhang, X. (2019). Multi-target tracking for automated RF on-wafer probing based on template matching, In: *Proceedings of 2019 International Conference on Manipulation, Automation and Robotics at Small Scales (MARSS)*, Helsinki, Finland, 1-6, doi: [10.1109/MARSS.2019.8860983](https://doi.org/10.1109/MARSS.2019.8860983).
- [16] Shahzad, A.R., Jalal, A. (2021). A smart surveillance system for pedestrian tracking and counting using template matching, In: *Proceedings of 2021 International Conference on Robotics and Automation in Industry (ICRAI)*, Rawalpindi, Pakistan, 1-6, doi: [10.1109/ICRAI54018.2021.9651452](https://doi.org/10.1109/ICRAI54018.2021.9651452).
- [17] Varma, R.K.P., Ganta, S., Krishna, B.H., Svsrk, P. (2020). A novel method for Indian vehicle registration number plate detection and recognition using image processing techniques, *Procedia Computer Science*, Vol. 167, 2623-2633, doi: [10.1016/j.procs.2020.03.324](https://doi.org/10.1016/j.procs.2020.03.324).
- [18] Sreeja, N.K. (2023). A hierarchical heterogeneous ant colony optimization based fingerprint recognition system, *Intelligent Systems with Applications*, Vol. 17, Article No. 200180, doi: [10.1016/j.iswa.2023.200180](https://doi.org/10.1016/j.iswa.2023.200180).
- [19] Li, Z., Xiao, Y., Wu, Q., Jin, M., Lu, H. (2020). Deep template matching for offline handwritten Chinese character recognition, *The Journal of Engineering*, Vol. 2020, No. 4, 120-124, doi: [10.1049/joe.2019.0895](https://doi.org/10.1049/joe.2019.0895).
- [20] Vukicevic, A., Mladineo, M., Banduka, N., Macuzic, I. (2021). A smart Warehouse 4.0 approach for the pallet management using machine vision and Internet of Things (IoT): A real industrial case study, *Advances in Production Engineering & Management*, Vol. 16, No. 3, 297-306, doi: [10.14743/apem2021.3.401](https://doi.org/10.14743/apem2021.3.401).
- [21] Ćirić, I., Pavlović, M., Banić, M., Simonović, M., Nikolić, V. (2022). AI powered obstacle distance estimation for onboard autonomous train operation, *Tehnički Vjesnik – Technical Gazette*, Vol. 29, No. 2, 611-619, doi: [10.17559/TV-20210223081612](https://doi.org/10.17559/TV-20210223081612).
- [22] Kapetanidis, V., Michas, G., Spingos, I., Kaviris, G., Vallianatos, F. (2023). Cluster analysis of seismicity in the eastern gulf of corinth based on a waveform template matching catalog, *Sensors*, Vol. 23, No. 6, Article No. 2923, doi: [10.3390/s23062923](https://doi.org/10.3390/s23062923).
- [23] Korman, S., Reichman, D., Tsur, G., Avidan, S. (2013). FasT-match: Fast affine template matching, In: *Proceedings of 2013 IEEE Conference on Computer Vision and Pattern Recognition*, Portland, USA, 2331-2338, doi: [10.1109/CVPR.2013.302](https://doi.org/10.1109/CVPR.2013.302).
- [24] Zhang, Y., Zhang, Z., Peng, S., Li, D., Xiao, H., Tang, C., Miao, R., Peng, L. (2022). A rotation invariant template matching algorithm based on Sub-NCC, *Mathematical Biosciences and Engineering*, Vol. 19, No. 9, 9505-9519, doi: [10.3934/mbe.2022442](https://doi.org/10.3934/mbe.2022442).
- [25] Zhang, Z., Yang, X., Jia, X. (2021). Scale-adaptive NN-based similarity for robust template matching, *IEEE Transactions on Instrumentation and Measurement*, Vol. 70, Article No. 5002809, doi: [10.1109/TIM.2020.3028401](https://doi.org/10.1109/TIM.2020.3028401).
- [26] Ye, Y., Bruzzone, L., Shan, J., Bovolo, F., Zhu, Q. (2019). Fast and robust matching for multimodal remote sensing image registration, *IEEE Transactions on Geoscience and Remote Sensing*, Vol. 57, No. 11, 9059-9070, doi: [10.1109/TGRS.2019.2924684](https://doi.org/10.1109/TGRS.2019.2924684).
- [27] Wu, Y., Li, Q. (2022). The algorithm of watershed color image segmentation based on morphological gradient, *Sensors*, Vol. 22, No. 21, Article No. 8202, doi: [10.3390/s22218202](https://doi.org/10.3390/s22218202).
- [28] Wang, S., Wang, H., Zhou, Y., Liu, J., Dai, P., Du, X., Wahab, M.A. (2021). Automatic laser profile recognition and fast tracking for structured light measurement using deep learning and template matching, *Measurement*, Vol. 169, Article No. 108362, doi: [10.1016/j.measurement.2020.108362](https://doi.org/10.1016/j.measurement.2020.108362).
- [29] Hikosaka, S., Tonooka, H. (2022). Image-to-image subpixel registration based on template matching of road network extracted by deep learning, *Remote Sensing*, Vol. 14, No. 21, Article No. 5360, doi: [10.3390/rs14215360](https://doi.org/10.3390/rs14215360).

- [30] Chen, D., Hu, F., Mathiopoulos, P.T., Zhang, Z., Peethambaran, J. (2023). MC-UNet: Martian crater segmentation at semantic and instance levels using u-net-based convolutional neural network, *Remote Sensing*, Vol. 15, No. 1, Article No. 266, doi: [10.3390/rs15010266](https://doi.org/10.3390/rs15010266).
- [31] Sangeetha, D., Deepa, P. (2019). FPGA implementation of cost-effective robust Canny edge detection algorithm, *Journal of Real-Time Image Processing*, Vol. 16, 957-970, doi: [10.1007/s11554-016-0582-2](https://doi.org/10.1007/s11554-016-0582-2).
- [32] Navdeep, K., Goyal, S., Rani, A., Singh, V. (2019). An improved local binary pattern based edge detection algorithm for noisy images, *Journal of Intelligent & Fuzzy Systems*, Vol. 36, No. 3, 2043-2054, doi: [10.3233/JIFS-169916](https://doi.org/10.3233/JIFS-169916).
- [33] Mittal, M., Verma, A., Kaur, I., Kaur, B., Sharma, M., Goyal, L.M., Roy, S., Kim, T.H. (2019). An efficient edge detection approach to provide better edge connectivity for image analysis, *IEEE Access*, Vol. 7, 33240-33255, doi: [10.1109/ACCESS.2019.2902579](https://doi.org/10.1109/ACCESS.2019.2902579).
- [34] He, S., Ye, B., Li, H., Gao, Y. (2022). Recognition of disordered workpieces based on 3D Laser scanner and RS-CNN, In: *Proceedings of 2022 21st International Symposium on Distributed Computing and Applications for Business Engineering and Science (DCABES)*, Chizhou, China, 62-65, doi: [10.1109/DCABES57229.2022.00052](https://doi.org/10.1109/DCABES57229.2022.00052).
- [35] Chen, L., Zhong, G., Han, Z., Li, Q., Wang, Y., Pan, H. (2022). Binocular visual dimension measurement method for rectangular workpiece with a precise stereoscopic matching algorithm, *Measurement Science and Technology*, Vol. 34, No. 3, Article No. 035010, doi: [10.1088/1361-6501/aca707](https://doi.org/10.1088/1361-6501/aca707).
- [36] Wang, W. (2019). A novel rapid point-cloud surface reconstruction algorithm for laser imaging radar, *Multimedia Tools and Applications*, Vol. 78, 8737-8749, doi: [10.1007/s11042-018-6244-6](https://doi.org/10.1007/s11042-018-6244-6).
- [37] Han, W., Han, X. (2022). Stack workpieces recognition model based on deep learning, In: *Proceedings of 2022 11th International Conference of Information and Communication Technology (ICTech)*, Wuhan, China, 209-213, doi: [10.1109/ICTech55460.2022.00049](https://doi.org/10.1109/ICTech55460.2022.00049).
- [38] Li, S., Li, B., Wang, T., Dong, Z., Wang, Y., Huang, H. (2022). Research on cluttered object recognition algorithm based on improved YOLO V5, In: *Proceedings of 2022 5th World Conference on Mechanical Engineering and Intelligent Manufacturing (WCMEIM)*, Ma'anshan, China, 1005-1009, doi: [10.1109/WCMEIM56910.2022.10021373](https://doi.org/10.1109/WCMEIM56910.2022.10021373).
- [39] Zhou, J., Wang, Y., Zhang, W. (2022). Underwater image restoration via information distribution and light scattering prior, *Computers and Electrical Engineering*, Vol. 100, Article No. 107908, doi: [10.1016/j.compeleceng.2022.107908](https://doi.org/10.1016/j.compeleceng.2022.107908).
- [40] Li, M.Z., Wang, J.C., Jawarneh, M., Bhatt, M.W., Omarov, B., Raffik, R. (2023). Research on nonlinear tracking and evaluation of sports 3D vision action, *Nonlinear Engineering*, Vol. 12, No. 1, Article No. 20220243, doi: [10.1515/nleng-2022-0243](https://doi.org/10.1515/nleng-2022-0243).
- [41] Xu, X., Wang, Y., Tang, J., Zhang, X., Liu, X. (2011). Robust automatic focus algorithm for low contrast images using a new contrast measure, *Sensors*, Vol. 11, No. 9, 8281-8294, doi: [10.3390/s110908281](https://doi.org/10.3390/s110908281).
- [42] Kobayashi, M., Ohmura, M., Takahashi, H., Shirai, T., Sakurai, K., Ichikawa, T., Yuzurihara, H., Inoue, S. (2018). High-definition and high-sensitivity CMOS image sensor with all-pixel image plane phase-difference detection autofocus, *Japanese Journal of Applied Physics*, Vol. 57, No. 10, Article No. 1002B5, doi: [10.7567/JJAP.57.1002B5](https://doi.org/10.7567/JJAP.57.1002B5).