

A NSGA-II based approach for multi-objective optimization of a reconfigurable manufacturing transfer line supported by Digital Twin: A case study

Ali, M.A.^{a,*}, Alarjani, A.^a, Mumtaz, M.A.^b

^aDepartment of Industrial Engineering, College of Engineering, Prince Sattam Bin Abdulaziz University, Alkharj, Saudi Arabia

^bDepartment of Civil Engineering, College of Engineering, Imam Mohammad Ibn Saud Islamic University, Riyadh, Saudi Arabia

ABSTRACT

In response to the wide range of customer demands, the concept of reconfigurable manufacturing systems (RMS) was introduced in the industrial sector. RMS enables producers to meet varying volumes of demand over varying time periods by swiftly adjusting its production capacity and functionality within a part family in response to abrupt market changes. In these circumstances, RMS are made to swiftly reconfigure their Reconfigurable Machine Tools (RMTs). RMTs are designed to have a variety of configurations that may be conditionally chosen and reconfigured in accordance with specific performance goals. However, the reconfiguration process is not an easy process, which entails optimization of several objectives and many of which are inherently conflictual. As a result, it necessitates real-time monitoring of the RMS's condition, which may be achieved by digital twinning, or the real-time capture of system data. The concept of using a digital replica of a physical system to provide real-time optimization is known as digital twin. This work considered a case study of discrete parts manufacturing on a reconfigurable single manufacturing transfer line (SMTL). Six manufacturing operations are required to be performed on the parts at six production stages. This work uses the Digital Twin (DT) based approach to assist a discrete multi-objective optimization problem for a reconfigurable manufacturing transfer line. This multi-objective optimization problem consists of four objective functions which is illustrated by using DT-based Non-dominated Sorting Genetic Algorithm-II (NSGA-II). The innovative aspect of the current study is the use of a DT-based framework for RMS reconfiguration to produce the best optimum solutions. The produced real-time solutions will be of great assistance to the decision maker in selecting the appropriate real-time optimal solutions for reconfigurable manufacturing transfer lines.

ARTICLE INFO

Keywords:

Reconfigurable manufacturing system;
Digital twin;
Multi-objective optimization;
Evolutionary computation;
Evolutionary algorithm;
Non-dominated sorting genetic algorithm-II (NSGA-II);
Reconfigurable machine tools;
Smart manufacturing

*Corresponding author:

mas.ali@psau.edu.sa
(Ali, M.A.)

Article history:

Received 14 March 2023

Revised 10 April 2023

Accepted 17 April 2023



Content from this work may be used under the terms of the Creative Commons Attribution 4.0 International License (CC BY 4.0). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

References

- [1] Tao, F., Qi, Q. (2019). New IT driven service-oriented smart manufacturing: Framework and characteristics, *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, Vol. 49, No. 1, 81-91, [doi: 10.1109/TSMC.2017.2723764](https://doi.org/10.1109/TSMC.2017.2723764).
- [2] Zhong, R.Y., Xu, X., Klotz, E., Newman, S.T. (2017). Intelligent manufacturing in the context of Industry 4.0: A review, *Engineering*, Vol. 3, No. 5, 616-630, [doi: 10.1016/J.ENG.2017.05.015](https://doi.org/10.1016/J.ENG.2017.05.015).
- [3] Zhou, J., Li, P., Zhou, Y., Wang, B., Zang, J., Meng, L. (2018). Toward new-generation intelligent manufacturing, *Engineering*, Vol. 4, No. 1, 11-20, [doi: 10.1016/J.ENG.2018.01.002](https://doi.org/10.1016/J.ENG.2018.01.002).
- [4] Ashraf, M., Hasan, F. (2018). Configuration selection for a reconfigurable manufacturing flow line involving part production with operation constraints, *International Journal of Advanced Manufacturing Technology*, Vol. 98, 2137-2156, [doi: 10.1007/s00170-018-2361-7](https://doi.org/10.1007/s00170-018-2361-7).
- [5] Ashraf, M., Hasan, F. (2016). A comprehensive approach for part family formation using production similarities, In: *Proceedings of 4th International Conference on Production and Industrial Engineering, CPIE-2016*, New Delhi,

- India, 1-9.
- [6] Hasan, F., Jain, P.K., Kumar, D. (2014). Optimum configuration selection in reconfigurable manufacturing system involving multiple part families, *Opsearch*, Vol. 51, No. 2, 297-311, doi: [10.1007/s12597-013-0146-1](https://doi.org/10.1007/s12597-013-0146-1).
 - [7] Bortolini, M., Galizia, F.G., Mora, C. (2018). Reconfigurable manufacturing systems: Literature review and research trend, *Journal of Manufacturing Systems*, Vol. 49, 93-106, doi: [10.1016/j.jmsy.2018.09.005](https://doi.org/10.1016/j.jmsy.2018.09.005).
 - [8] Zheng, Y., Yang, S., Cheng, H. (2019). An application framework of digital twin and its case study, *Journal of Ambient Intelligence and Humanized Computing*, Vol. 10, No. 3, 1141-1153, doi: [10.1007/s12652-018-0911-3](https://doi.org/10.1007/s12652-018-0911-3).
 - [9] Haddou Benderbal, H., Yelles-Chaouche, A.R., Dolgui, A. (2020). A digital twin modular framework for reconfigurable manufacturing systems, In: Lalic, B., Majstorovic, V., Marjanovic, U., von Cieminski, G., Romero, D. (eds.), *Advances in production management systems, Towards smart and digital manufacturing, APMS 2020, IFIP Advances in information and communication technology*, Vol. 592, Springer, Cham, Switzerland, 493-500, doi: [10.1007/978-3-030-57997-5_57](https://doi.org/10.1007/978-3-030-57997-5_57).
 - [10] Huang, S., Wang, G., Yan, Y. (2020). Building blocks for digital twin of reconfigurable machine tools from design perspective, *International Journal of Production Research*, Vol. 60, No. 3, 942-956, doi: [10.1080/00207543.2020.1847340](https://doi.org/10.1080/00207543.2020.1847340).
 - [11] da Cunha, C., Cardin, O., Gallot, G., Viaud, J. (2021). Designing the digital twins of reconfigurable manufacturing systems: Application on a smart factory, *IFAC-PapersOnLine*, Vol. 54, No. 1, 874-879, doi: [10.1016/j.ifacol.2021.08.103](https://doi.org/10.1016/j.ifacol.2021.08.103).
 - [12] Ashraf, M., Khan, M.A., Hasan, F., Siddiqui, M., Murtaza, Q., Ali, S.N. (2016). Optimum allocation of machines with multiple objectives using NSGA-II, In: *Proceedings of 6th International & 27th All India Manufacturing Technology, Design and Research Conference (AIMTDR-2016)*, Pune, India, 1723-1728.
 - [13] Rasheed, A., San, O., Kvamsdal, T. (2020). Digital twin: Values, challenges and enablers from a modeling perspective, *IEEE Access*, Vol. 8, 21980-22012, doi: [10.1109/ACCESS.2020.2970143](https://doi.org/10.1109/ACCESS.2020.2970143).
 - [14] Grieves, M. (2014). Digital twin: Manufacturing excellence through virtual factory replication, *White paper*, Vol. 1, 1-7.
 - [15] Tao, F., Sui, F., Liu, A., Qi, Q., Zhang, M., Song, B., Guo, Z., Lu, S.C.-Y., Nee, A.Y.C. (2019). Digital twin-driven product design framework, *International Journal of Production Research*, Vol. 57, No. 12, 3935-3953, doi: [10.1080/00207543.2018.1443229](https://doi.org/10.1080/00207543.2018.1443229).
 - [16] Hofer, A. Five examples of digital twin technology in different industries (Use cases and benefits), from <https://www.softeq.com/blog/5-digital-twin-examples-in-different-industries>, accessed March 10, 2023.
 - [17] Zhang, H., Liu, Q., Chen, X., Zhang, D., Leng, J. (2017). A digital twin-based approach for designing and multi-objective optimization of hollow glass production line, *IEEE Access*, Vol. 5, 26901-26911, doi: [10.1109/ACCESS.2017.2766453](https://doi.org/10.1109/ACCESS.2017.2766453).
 - [18] Tao, F., Zhang, M., Liu, Y., Nee, A.Y.C. (2018). Digital twin driven prognostics and health management for complex equipment, *CIRP Annals*, Vol. 67, No. 1, 169-172, doi: [10.1016/j.cirp.2018.04.055](https://doi.org/10.1016/j.cirp.2018.04.055).
 - [19] Tao, F., Cheng, J., Qi, Q., Zhang, M., Zhang, H., Sui, F. (2018). Digital twin-driven product design, manufacturing and service with big data, *International Journal of Advanced Manufacturing Technology*, Vol. 94, No. 9-12, 3563-3576, doi: [10.1007/s00170-017-0233-1](https://doi.org/10.1007/s00170-017-0233-1).
 - [20] Qi, Q., Tao, F., Zuo, Y., Zhao, D. (2018). Digital twin service towards smart manufacturing, *Procedia CIRP*, Vol. 72, 237-242, doi: [10.1016/j.procir.2018.03.103](https://doi.org/10.1016/j.procir.2018.03.103).
 - [21] Botkina, D., Hedlind, M., Olsson, B., Henser, J., Lundholm, T. (2018). Digital Twin of a cutting tool, *Procedia CIRP*, Vol. 72, 215-218, doi: [10.1016/j.procir.2018.03.178](https://doi.org/10.1016/j.procir.2018.03.178).
 - [22] Kunath, M., Winkler, H. (2018). Integrating the Digital twin of the manufacturing system into a decision support system for improving the order management process, *Procedia CIRP*, Vol. 72, 225-231, doi: [10.1016/j.procir.2018.03.192](https://doi.org/10.1016/j.procir.2018.03.192).
 - [23] Durão, L.F.C.S., Haag, S., Anderl, R., Schützer, K., Zancul, E. (2018). Digital twin requirements in the context of industry 4.0, In: Chiabert, P., Bouras, A., Noël, F., Rios, J. (eds.), *Product Lifecycle Management to Support Industry 4.0, PLM, IFIP Advances in Information and Communication Technology*, Vol. 540, 204-214, Springer, Cham, doi: [10.1007/978-3-030-01614-2_19](https://doi.org/10.1007/978-3-030-01614-2_19).
 - [24] Luo, W., Hu, T., Zhu, W., Tao, F. (2018). Digital twin modeling method for CNC machine tool, In: *Proceedings of 2018 IEEE 15th International Conference on Networking, Sensing and Control (ICNSC)*, Zhuhai, China, 1-4, doi: [10.1109/ICNSC.2018.8361285](https://doi.org/10.1109/ICNSC.2018.8361285).
 - [25] Liao, Y., Lee, H., Ryu, K. (2018). Digital twin concept for smart injection molding, *IOP Conference Series: Materials Science and Engineering*, Vol. 324, No. 1, Article No. 012077, doi: [10.1088/1757-899X/324/1/012077](https://doi.org/10.1088/1757-899X/324/1/012077).
 - [26] Damjanovic-Behrendt, V. (2018). A digital twin-based privacy enhancement mechanism for the automotive industry, In: *Proceeding of 2018 International Conference on Intelligent Systems (IS)*, Funchal, Portugal, 272-279, doi: [10.1109/IS.2018.8710526](https://doi.org/10.1109/IS.2018.8710526).
 - [27] Kombaya Touckia, J., Hamani, N., Kermad, L. (2022). Digital twin framework for reconfigurable manufacturing systems (RMSs): Design and simulation, *International Journal of Advanced Manufacturing Technology*, Vol. 120, No. 7-8, 5431-5450, doi: [10.1007/s00170-022-09118-y](https://doi.org/10.1007/s00170-022-09118-y).
 - [28] Tang, J., Emmanouilidis, C., Salonitis, K. (2020). Reconfigurable manufacturing systems characteristics in digital twin context, *IFAC-PapersOnLine*, Vol. 53, No. 2, 10585-10590, doi: [10.1016/j.ifacol.2020.12.2810](https://doi.org/10.1016/j.ifacol.2020.12.2810).
 - [29] Magnanini, M.C., Tolio, T.A.M. (2021). A model-based digital twin to support responsive manufacturing systems, *CIRP Annals*, Vol. 70, No. 1, 353-356, doi: [10.1016/j.cirp.2021.04.043](https://doi.org/10.1016/j.cirp.2021.04.043).
 - [30] Kurniadi, K.A., Lee, S., Ryu, K. (2018). Digital twin approach for solving reconfiguration planning problems in RMS, In: Moon, I., Lee, G., Park, J., Kiritsis, D., von Cieminski, G. (eds.), *Advances in production management systems, Smart manufacturing for Industry 4.0. APMS 2018. IFIP Advances in information and communication technology*, Vol. 536, Springer, Cham, Switzerland, 327-334, doi: [10.1007/978-3-319-99707-0_41](https://doi.org/10.1007/978-3-319-99707-0_41).

- [31] Rifai, A.P., Nguyen, H.-T., Aoyama, H., Dawal, S.Z.M., Masruroh, N.A. (2018). Non-dominated sorting biogeography-based optimization for bi-objective reentrant flexible manufacturing system scheduling, *Applied Soft Computing*, Vol. 62, 187-202, doi: [10.1016/j.asoc.2017.10.045](https://doi.org/10.1016/j.asoc.2017.10.045).
- [32] Yu, D., Hong, J., Zhang, J., Niu, Q. (2018). Multi-objective individualized-instruction teaching-learning-based optimization algorithm, *Applied Soft Computing*, Vol. 62, 288-314, doi: [10.1016/j.asoc.2017.08.056](https://doi.org/10.1016/j.asoc.2017.08.056).
- [33] Dou, J., Li, J., Xia, D., Zhao, X. (2020). A multi-objective particle swarm optimisation for integrated configuration design and scheduling in reconfigurable manufacturing system, *International Journal of Production Research*, Vol. 59, No. 13, 3975-3995, doi: [10.1080/00207543.2020.1756507](https://doi.org/10.1080/00207543.2020.1756507).
- [34] Liu, M., An, L., Zhang, J., Chu, F., Chu, C. (2019). Energy-oriented bi-objective optimisation for a multi-module reconfigurable manufacturing system, *International Journal of Production Research*, Vol. 57, No. 19, 5974-5995, doi: [10.1080/00207543.2018.1556413](https://doi.org/10.1080/00207543.2018.1556413).
- [35] Xu, E.B., Yang, M.S., Li, Y., Gao, X.Q., Wang, Z.Y., Ren, L.J. (2021). A multi-objective selective maintenance optimization method for series-parallel systems using NSGA-III and NSGA-II evolutionary algorithms, *Advances in Production Engineering & Management*, Vol. 16, No. 3, 372-384, doi: [10.14743/apem2021.3.407](https://doi.org/10.14743/apem2021.3.407).
- [36] Hrnjica, B., Behrem, S. (2022). A new multi-objective optimization approach for process parameters optimization during numerical simulation of quenching steel parts, *Advances in Production Engineering & Management*, Vol. 17, No. 1, 16-32, doi: [10.14743/apem2022.1.418](https://doi.org/10.14743/apem2022.1.418).
- [37] Umer, U., Mohammed, M.K., Abidi, M.H., Alkhalefah, H., Kishawy, H.A. (2022). Machinability analysis and multi-response optimization using NGA-II algorithm for particle reinforced aluminum based metal matrix composites, *Advances in Production Engineering & Management*, Vol. 17, No. 2, 205-218, doi: [10.14743/apem2022.2.431](https://doi.org/10.14743/apem2022.2.431).
- [38] Amjad, M.K., Butt, S.I., Anjum, N., Chaudhry, I.A., Faping, Z., Khan, M. (2020). A layered genetic algorithm with iterative diversification for optimization of flexible job shop scheduling problems, *Advances in Production Engineering & Management*, Vol. 15, No. 4, 377-389, doi: [10.14743/APEM2020.4.372](https://doi.org/10.14743/APEM2020.4.372).
- [39] Xu, W., Sun, H.Y., Awaga, A.L., Yan, Y., Cui, Y.J. (2022). Optimization approaches for solving production scheduling problem: A brief overview and a case study for hybrid flow shop using genetic algorithms, *Advances in Production Engineering & Management*, Vol. 17, No. 1, 45-56, doi: [10.14743/apem2022.1.420](https://doi.org/10.14743/apem2022.1.420).
- [40] Deb, K. (2011). Multi-objective optimization using evolutionary algorithms: An introduction, In: Wang, L., Ng, A., Deb, K. (eds.), *Multi-objective evolutionary optimisation for product design and manufacturing*, Springer, London, United Kingdom, 1-24, doi: [10.1007/978-0-85729-652-8_1](https://doi.org/10.1007/978-0-85729-652-8_1).
- [41] Ashraf, M. (2018). *Some aspects of planning for reconfigurable manufacturing systems*, PhD Thesis, Aligarh Muslim University, Aligarh, India.
- [42] Ashraf, M., Hasan, F. (2015). Product family formation based on multiple product similarities for a reconfigurable manufacturing system, *International Journal of Modelling in Operations Management*, Vol. 5, No. 3-4, 247-265, doi: [10.1504/IJMOM.2015.075800](https://doi.org/10.1504/IJMOM.2015.075800).
- [43] Diaz, C.A.B., Aslam, T., Ng, A.H.C. (2021). Optimizing reconfigurable manufacturing systems for fluctuating production volumes: A simulation-based multi-objective approach, *IEEE Access*, Vol. 9, 144195-144210, doi: [10.1109/ACCESS.2021.3122239](https://doi.org/10.1109/ACCESS.2021.3122239).
- [44] Kombaya Touckia, J., Hamani, N., Kermad, L. (2022). Digital twin framework for reconfigurable manufacturing systems (RMSs): Design and simulation, *International Journal of Advanced Manufacturing Technology*, Vol. 120, No. 7-8, 5431-5450, doi: [10.1007/s00170-022-09118-y](https://doi.org/10.1007/s00170-022-09118-y).